

| Site 1 | Site 2 | Site 3 | Site 4 | Site 5 | Site 6 | | |
|-----------------------------|---------------------|---|--------------------------|--------------------|---|----------|----------|
| <u>Gum Spring</u> | <u>Shannon Hill</u> | <u>Fisher-Chewning</u> | <u>Rt. 33 Assemblage</u> | <u>Haley Drive</u> | <u>IDA/Cooke Foundation</u> | | |
| 100-117 | 79-36 | 58-3 | 58-11C | 30-48 | 42-13 | 42-16-19 | |
| 100-110 | 79-2-B | 58-7-3 | 58-30B | 30-3-A | 42-23 | 42-16-20 | |
| 100-115 | 79-2-A | 42-81 | 58-30C | 30-3-B | 42-24 | 42-16-21 | |
| 100-111 | 79-34 | 58-17 | 58-30 | 30-54 | 42-30 | 42-16-22 | |
| 100-113 | 79-33 | 42-93 | 58-32 | 30-56 | 42-59B | 42-16-23 | |
| 100-112 | 79-35 | 42-86 | 70-47 | | 42-12-1 | 42-16-24 | |
| 96-40 | 79-12 | 42-83 | 70-48 | | 42-60 | 42-16-25 | |
| 96-43 | 79-11 | 42-82 | 71-1* | | 42-16-1 | 46-16-26 | |
| 100-118 | 79-10 | 42-84 | | | 42-16-2 | 42-16-27 | |
| 100-119 | Removed 08/05/2024 | 42-14-12 | | | 71-3* | 42-16-3 | 42-16-28 |
| 100-120 | | | | | | 42-16-4 | 42-16-29 |
| 100-121 | | Public Hearing for Potential Removal | | | | 42-16-5 | 42-68 |
| 96-45 | | | | | | 42-16-6 | 42-14 |
| 96-46 | | | | | | 42-16-7 | 42-21 |
| 96-47 | | | | | | 42-16-8 | 42-22 |
| 100-125 | | | | | 42-16-9 | 41-234A | |
| 100-2-A | | | | | 42-16-11 | 42-4C | |
| 100-129 | | | | | 42-16-12 | 42-3 | |
| 101-9 | | | | | 42-16-13 | 42-18 | |
| 100-130 | | | | 42-16-14 | 42-20 | | |
| 101-10 | | | | 42-16-15 | 42-19 | | |
| 96-39* 96-44* 96-114* | Removed 08/05/2024 | | | | 42-16-16 | 42-15 | |
| | | | | | 42-16-17 | 42-1 | |
| | | | | | 42-16-18 | 27-91 | |
| | | | | | | 27-92 | |
| | | | | | Public Hearing for Potential Removal | 27-93 | |
| | | | | | | 42-17 | |